

Contact details:


Company: _____ Date: _____
 Address: _____ Order number: _____
 Zip code: _____ Contact: _____
 City: _____ Telephone: _____
 Country: _____ E-mail: _____

Form table for wheelchair

Standard flat table


(please mark drawing below)

- Acrylate (perspex/plexiglas) 8 mm thick
- Acrylate (perspex/plexiglas) 10 mm thick
- Polycarbonate (makrolon-lexan) 8 mm thick (unbreakable)
- Polycarbonate (makrolon-lexan) 10 mm thick (unbreakable)




Standard wheelchair tray (490x300 mm)

- o Acrylate (perspex/plexiglas) 8 mm thick
- o Acrylate (perspex/plexiglas) 10 mm thick
- o Polycarbonate (makrolon-lexan) 8 mm thick (unbreakable)
- o Polycarbonate (makrolon-lexan) 10 mm thick (unbreakable)




Standard table with bended sides (polycarbonate 6 mm thick, with 3 bended sides 30 mm)

- o 400 x 400 mm
- o 500 x 500 mm
- o 600 x 600 mm



Fixation (**additional price**):

- o None
- o Swing up/away, with plastic connecting device, adjustable Ø22 mm (Picture B)
- o Swing up/away H-plate Ø19 mm (Picture A)
- o Swing up/away H-plate Ø22 mm (Picture A)
- o Double tube (left and right), chromed, Ø22 mm (Picture C)
- o Universal tray connector for tube Ø22 mm (Picture D)
- o Fixation for college tray, including connector (Picture E)



**Design printed on the downside of the table,
protected with sheet (additional price)**

- o No design printed, transparant (standard table)
- o Design nr:..... (number spoke guard, see catalog/website)
- o Color nr:..... (number spoke guard, see catalog/website)

Table padding (additional price):

- o None
- o Ellbow padding (Picture A)
- o Partly padding (Picture B)
- o Complete padding (Picture C)



A



B



C

Table, customized dimension

Material Table:

- o Acrylate (perspex/plexiglas) 8 mm thick
- o Acrylate (perspex/plexiglas) 10 mm thick
- o Polycarbonate (makrolon-lexan) 4 mm thick (unbreakable)
- o Polycarbonate (makrolon-lexan) 5 mm thick (unbreakable)
- o Polycarbonate (makrolon-lexan) 6 mm thick (unbreakable)
- o Polycarbonate (makrolon-lexan) 8 mm thick (unbreakable)
- o Polycarbonate (makrolon-lexan) 10 mm thick (unbreakable)
- o Otherwise:

Raise (bended) sides:


(only available in polycarbonate (makrolon-lexan) 4, 5, 6 and 8 mm)

- o None
- o 30 mm bended sides until the cutout for the belly (Picture A)
- o 30 mm bended sides completely along the table (Picture B)
- o Otherwise:

A



B



Remarks: